

I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail, Post Office to Addressee, Express Mail No. EL434508787US in an envelope addressed to: Commissioner of Patents and Trademarks, Box Patent Application, Washington, D.C. 20231 on July 9, 1999.

Lisa Mullendore

Lisa Mullendore 07/09/99

FORM PTO-1082

Case Docket No. _____

THE COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor: John P. Jasper

For:

A STABLE ISOTOPIC IDENTIFICATION AND METHOD FOR
IDENTIFYING PRODUCTS BY ISOTOPIC CONCENTRATION

Enclosed are:

☐ _____ sheets of drawing.

☐ An assignment of the invention to _____

☐ A certified copy of a _____ application.

☐ An associate power of attorney.

☒ A verified statement to establish small entity status under 37 CFR 1.9 and 37 CFR 1.27.

☐

The filing fee has been calculated as shown below:

	(Col. 1)	(Col. 2)
FOR:	NO. FILED	NO. EXTRA
BASIC FEE		
TOTAL CLAIMS	40 -20 =	20
INDEP CLAIMS	2 -3 =	0
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIM PRESENTED		

SMALL ENTITY

RATE	FEE
	\$380
x 9 =	\$180
x39 =	\$
+130	\$
TOTAL	\$560

OTHER THAN A
SMALL ENTITY

RATE	FEE
	\$760
x18 =	\$
x78 =	\$
+260	\$
OR TOTAL	\$

*If the difference in Col. 1 is less than zero, enter "0"
in Col. 2

☐ Please charge my Deposit Account No. _____ the amount of \$ _____. A duplicate copy of this sheet is enclosed.

☒ A check in the amount of \$ 560.00 to cover the filing fee is enclosed.

☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 12-2424. A duplicate copy of this sheet is enclosed.
X Any Patent Office Fees required to file this application.

☐ Any additional filing fees required under 37 CFR 1.16.

☐ Any patent application processing fees under 37 CFR 1.17.

☐ The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. _____. A duplicate copy of this sheet is enclosed.

☐ Any patent application processing fees under 37 CFR 1.17.

☐ The issue fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311 (b).

☐ Any filing fees under 37 CFR 1.16 for presentation of extra claims.

Respectfully submitted,
LUNDY AND ASSOCIATES

David A. Lundy, Reg. No. 22,162

10594 U.S. PTO
09/349380



I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail, Post Office to Addressee, Express Mail No. EL434508787US in an envelope addressed to: Commissioner of Patents and Trademarks, Box Patent Application, Washington, D.C. 20231 on July 9, 1999.
Lisa Mullendore 07/09/99

Applicant or Patentee: John P. Jasper Attorney's
Serial or Patent No.: _____ Docket No.: _____
Filed or Issued: _____
For: A STABLE ISOTOPIC IDENTIFICATION AND METHOD FOR IDENTIFYING
PRODUCTS BY ISOTOPIC CONCENTRATION

J.P. Jasper
VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9 (f) and 1.27 (b)) — INDEPENDENT INVENTOR

As a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9 (c) for purposes of paying reduced fees under section 41 (a) and (b) of Title 35, United States Code, to the Patent and Trademark Office with regard to the invention entitled A STABLE ISOTOPIC IDENTIFICATION AND
described in METHOD FOR IDENTIFYING PRODUCTS BY
ISOTOPIC CONCENTRATION

☒ the specification filed herewith
☐ application serial no. _____, filed _____
☐ patent no. _____, issued _____

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license, any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9 (c) if that person had made the invention, or to any concern which would not qualify as a small business concern under 37 CFR 1.9 (d) or a nonprofit organization under 37 CFR 1.9 (e).

Each person, concern or organization to which I have assigned, granted, conveyed, or licensed or am under an obligation under contract or law to assign, grant, convey, or license any rights in the invention is listed below:

☒ no such person, concern, or organization
☐ persons, concerns or organizations listed below*

*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

FULL NAME John P. Jasper
ADDRESS 8 OLD OAK LAWS, NIAHTIC, CT 06357
☒ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

FULL NAME _____
ADDRESS _____
☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

FULL NAME _____
ADDRESS _____
☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28 (b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

John P. Jasper

NAME OF INVENTOR NAME OF INVENTOR NAME OF INVENTOR

John P. Jasper
Signature of Inventor

Signature of Inventor

Signature of Inventor

July 7, 1999
Date

Date

Date

I hereby certify that this correspondence is being deposited with the United States Postal Service as Express Mail, Post Office to Addressee, Express Mail No. EL434508787US in an envelope addressed to:

Commissioner of Patents and Trademarks, Box Patent Application, Washington, D.C. 20231 on July 9, 1999.

Lisa Mullendore 07/09/99
Lisa Mullendore

PATENT

John P. Jasper

A STABLE ISOTOPIC IDENTIFICATION AND METHOD FOR
IDENTIFYING PRODUCTS BY ISOTOPIC CONCENTRATION

The Background Of The Invention

The present invention relates to a stable isotopic identification and method for identifying products using naturally occurring isotopic concentrations or isotopic ratios in products, especially in the pharmaceutical industry, and more particularly to an identification and a method utilizing such isotopic concentrations or ratios in a machine readable form for identifying products and tracking products through manufacturing, marketing and use of a product, and readily indexing product information to the product.

The stable isotopic composition of matter has been recognized for decades as a criterion for differentiating one product from another with the same elemental composition. In the field of geochemical oil exploration and prospecting, measurement of the isotopic compositions of large numbers of individual organic compounds of oil samples from various oil reservoirs have assisted in clarifying the origin of specific compounds correlating the organic compounds with particular sources, recognizing the existence of multiple sources, examining the mechanisms of petroleum

generation, and improving the sensitivity of petroleum migration studies.

This information, particularly in connection with seismic data, can be used to predict locations of other oil reservoirs to which oil may have migrated from a common source of generation or formation.

Isotope ratio monitoring has further applications in the biomedical field, wherein non-radioactive and stable isotopes are used as tracer labels in drug metabolism and other biomedical studies where natural variations in isotopic abundances may also carry additional information regarding sources and fates of metabolites. Current radioactive, stable isotopic labeling apparatus and methods in the medical fields employ possibly costly labeled compounds having isotope ratios much different than those found in natural abundance. Improvements in isotope ratio monitoring sensitivity and precision and a reduction in sample size and the required amount of the taggant material have occurred. In some cases the naturally occurring isotopic ratios, which at times are found in natural abundance, are so small that monitoring has been a problem. It is therefore highly desirable to provide a new and improved stable isotopic identification and a method of identifying products utilizing a stable isotopic identification. It is also highly desirable to provide a new and improved stable isotopic identification and a method for identifying products utilizing the same which is fully operational utilizing naturally occurring variations in isotopic abundance, thus eliminating costly

taggants.

In the combustible fuel, environmental, explosive and ammunition and paint industries, the new and improved stable isotope identification can be used.

In the pharmaceutical industry, there is a need to trace ingredients through the manufacturing process, through the marketplace, and into various usages. Products such as active pharmaceutical ingredients (APIs), excipients of drug products, impurities in drug products, raw materials and drug products are included in those products which a pharmaceutical manufacturer may wish to trace. The ready identification of products in the marketplace allow a pharmaceutical manufacturer to monitor its products for quality purposes as well as to act as an impediment against fraudulent "knock-offs". It is therefore highly desirable to provide a new and improved stable isotopic identification which can be used in the pharmaceutical industry for APIs, drug products, excipients of drug products, and/or impurities of drug products and a new and improved method of identifying and using such an identification. It is also highly desirable to provide a new and improved stable isotopic identification utilizing the intrinsic or ambient variability of the stable isotopic compositions or ratios of the product (not artificially altered or "tagged") thereby eliminating the need for relatively expensive taggants and the resultant dilution or impurity of the product, and a method utilizing such

isotopic concentrations or ratios in a machine readable form for identifying products, and tracking products through manufacturing, marketing and use of a product, and readily indexing product information to the product.

New techniques for forming precise on-line isotopic ratios monitoring are now available. The probability of isotopic compositions of two batches from independent sources being the same is inversely proportional to the product of the dynamic ranges of each type of isotopic analysis undertaken, whether bulk or compound specific analyses. The "dynamic range" is defined herein as the range of value expected for a given type of measurement divided by the 1-sigma standard deviation of that measurement. All products such as APIs, drug products, excipients of drug products and/or impurities of drug products have intrinsic or ambient measurable amounts of stable isotopes of common light elements such as carbon, hydrogen, oxygen, nitrogen and sulfur. It is therefore highly desirable to provide a new and improved stable isotopic identification derived from stable isotopic compositions or ratios of common light elements of the product and a method of identifying the products and indexing product information to the product utilizing the same. It is also highly desirable to provide a new and improved stable isotopic identification for APIs, drug products, excipients of drug products and/or impurities of drug products which can be readily determined by either on-line or off-line analysis of the intrinsic, ambient or naturally

occurring stable isotopic compositions or ratios of the common light elements in such products and a method for identifying and tracing such products throughout the manufacturing process, the marketplace and use.

Finally, it is highly desirable to provide a new and improved stable isotopic identification and method for utilizing the same including all of the above features throughout the chemical, petroleum, pharmaceutical, biomedical, environmental, paint, explosive-ammunition, and combustible fuel industries.

Summary Of The Invention

It is therefore an object of the invention to provide a new and improved stable isotopic identification, and a method of identifying products utilizing stable isotopic identification.

It is also an object of the invention to provide a new and improved stable isotopic identification, and a method for identifying products utilizing the same which is fully operational utilizing naturally occurring variations in isotopic abundance, thus eliminating costly taggants.

It is also an object of the invention to provide a new and improved stable isotopic identification which can be used in the pharmaceutical industry for APIs, drug products, excipients of drug products, and/or impurities of drug products, and a new and improved method of identifying and using such products.

It is also an object of the invention to provide a new and improved

stable isotopic identification utilizing the intrinsic or ambient variability and the stable isotopic composition or ratios of the product (not artificially altered or "tagged") thereby eliminating the need for relatively expensive taggants and the resultant dilution or impurity of the product, and a method utilizing such isotopic concentrations or ratios in a machine readable form for identifying products and tracking products through manufacturing, marketing and use of a product, and readily indexing product information to the product.

It is also an object of the invention to provide a new and improved stable isotopic identification derived from stable isotopic compositions or ratio of the common light elements in the product, and a method of identifying the products and indexing product information to the product utilizing the same.

It is also an object of the invention to provide a new and improved stable isotopic identification for APIs, drug products, excipients of drug products and/or impurities of drug products which can be readily determined by either on-line or off-line analysis of the intrinsic, ambient or naturally occurring stable isotopic compositions or ratios of common light elements in such products and a method for identifying and tracing such products throughout the manufacturing process, the marketplace and use.

It is finally an object of the invention to provide a new and improved stable isotopic identification and method for utilizing the same including all

of the above features throughout the chemical, petroleum, pharmaceutical, biomedical, environmental, paint, explosive-ammunition and combustible fuel industries.

In the broader aspects of the invention there is provided a stable isotopic identification comprising a mathematical array of concentrations of isotopes found in a product, said mathematical array being presented in a machine readable form and comparable to analytical results whereby the product can be distinguished from other similar products, said machine readable form also being indexed through stored product information. The stored product information may be displayed when desired. By the stable isotopic identification of the invention, a product may be securely traced through manufacturing of a product, marketing of a product and the use of a product.

A method of identifying products is also provided utilizing the stable isotopic identification including the steps of analyzing a product for the concentration of isotopes, arranging the concentrations of the isotopes in a mathematical array, formulating the mathematical in a machine readable form, assembling product information, and indexing the product information to the machine readable form of the mathematical array, maintaining both the indexing and the product information, and when desired measuring the isotopic concentration of a comparable substance, comparing mathematical arrays, and accessing stored product information

through the indexing of the same to product information, whereby a product may be traced through manufacturing, the marketplace and use, identified, and indexed to product information.

Description Of A Specific Embodiment

The present invention provides a stable isotopic identification of products and a method for utilizing such isotopic concentrations (which in a specific embodiment may be expressed in isotopic ratios) in a machine readable form for identifying products and tracking products through manufacturing, marketing and use of a product, and readily indexing product information to the product, especially with pharmaceutical phases, such as active pharmaceutical ingredients (APIs), drug products, the excipients of drug products and/or impurities of drug products utilizing concentrations of naturally occurring stable isotopes, and formulating a stable isotopic identifications therefrom. The present invention also provides a unique method for utilizing the stable isotopic identification of the invention and identifying the product later in the manufacturing or the marketing or the use of the product and referencing the same to detail product information, serial numbers, or the like for identifying fraudulent products or "knock-offs" throughout the chemical, petroleum, pharmaceutical, biomedical, environmental, paint, explosive-ammunition and combustible fuel industries.

Stable isotopes can be routinely measured by combustion and

mass spectrometric analysis of either bulk phases or of specific compounds, by spectroscopic means. Bulk phases are analyzed by either off-line combustion followed by dual-inlet isotope ratio mass spectrometry (irMS) or by on-line combustion coupled with high resolution isotope ratio monitoring/mass spectrometry (irMS). Specific compounds are analyzed by either gas chromatography coupled with irmMS (irmGCMS) as disclosed in U.S. Patent No. 5,012,052 issued to John M. Hayes on April 30, 1991 or by liquid chromatography coupled with irmMS (irmLCMS), depending upon the chromatographic properties of the analytes. IrmGCMS allows for a continuous uninterrupted automated analysis whereas off-line methods require the samples to be purified into separate components, for example in a gas chromatograph, and collected in batches prior to analysis. The concentrations monitored are generally recorded as isotopic ratios which are the concentration of isotope A divided by the concentration of isotope B, e.g., $^{13}\text{C}/^{12}\text{C}$, D/H, $^{15}\text{N}/^{14}\text{N}$, $^{18}\text{O}/^{16}\text{O}$, $^{35}\text{S}/^{32}\text{S}$, etc. Each of these ratios may include the error of the concentration.

Ratios of isotopic concentrations are preferred as they present two distinct advantages over individual concentrations. First, isotopic ratios can be more reproducibly measured than compositions. Second, isotopic ratios may not be modified by non-nuclear physical or chemical processes or explosives such that ratios will remain intact through subsequent

chemical reactions, including tires and explosives.

Further, isotopic concentrations provide stable isotopic identifications which are highly specific. Elements which have more than one stable isotope are numerous. Of the 83 known non-radioactive elements known to exist on earth, 62 have more than one stable isotope, and 40 have more than two stable isotopes. The element tin (Sn) has the largest number of stable isotopes for any single element. Among the 40 elements having more than two stable isotopes, there are a total of 224 stable isotopes. Although a few of the 220 stable isotopes are slightly radioactive, they have very long lives and are present in many naturally occurring elements. Thus, as will be seen, the stable isotopic identifications of the invention are numerous and provide a ready and available means by which any product (including all pharmaceutical phases APIs, drug products, excipients of drug products and/or impurities of drug products) may be readily identified.

If only the common light elements of carbon, hydrogen, oxygen, nitrogen and sulfur were used, there are 13 different stable isotopes. These 13 stable isotopes will provide ample means for providing a highly specific stable isotopic identification for any product desirably traced or desirably identified as will be explained as a specific embodiment hereinafter.

The Stable Isotopic Identification

The new and improved stable isotopic identification of the invention provides a highly specific readable numerical array which can be used to identify each product desirably identified. The stable isotopic identification of different products or phases (such as APIs, drug products, excipients of drug products and/or impurities of drug products) or other isotopic compositions of a given phase or isotopic compositions of a combination of different phases provide a means by which any product and each of its precursors or raw materials or intermediates in a manufacturing process can be identified and traced through the manufacturing process, marketing of the product and the utilization of the product. The compositions used are usually stable isotope ratios measured by combustion and mass spectrometry analysis of either bulk phases or specific compounds.

The chemical analysis required to determine the stable isotopic ratios are classified as bulk stable isotopic composition (BSIA) or compound-specific isotopic composition (CSIA). These analyses are performed by high resolution irmMS or by nuclear magnetic resonance (NMR). Bulk phases are typically analyzed by either off-line combustion followed by dual inlet mass spectrometry or by on-line combustion coupled with irmMS. Specific compounds are analyzed by either irmGCMS or irmLCMS, depending upon the chromatographic properties

[illegible][illegible][illegible]

isotopic ratios, groups of any such lists, groups of any such mathematical products, groups of any such ratios, groups of any such concentrations, mathematical products of any such concentrations plus or minus their error added, mathematical products of any such ratios plus or minus their errors added, any of such concentrations, ratios, lists, groups and mathematical products in quadrature, isotopic ratios of any of such mathematical products, ratios of said concentrations plus or minus their errors added, any of said concentrations plus or minus their errors added, factor analysis of any such concentrations, ratios, lists, groups, and mathematical products and determinants and combinations thereof.

Thus, for example, if the tolerable error in identification of the product is the same or greater than the error in the concentration, then simply a listing of the concentration of a stable isotope may serve as the stable isotopic identification of the invention. However, if in identification (or greater specificity) less error is desired, the probability of the two isotopic compositions of two separate batches from independent sources being the same is inversely proportional to the product of the dynamic ranges of each isotopic analysis undertaken; and thus, the acceptable or tolerable error of identification desired can be chosen by choosing any one of the above identified mathematical arrays involving more than one isotopic concentration.

Additionally, the error of identification can be reduced by choosing

TABLE 1

Isotopic Ratio	Drug Product	API	Excipient #1	Impurity #1
Delta ¹³ C	C _{dp}	C _{api}	C _{el}	C _{il}
Delta D	D _{dp}	D _{api}	D _{el}	D _{il}
Delta ¹⁸ O	O _{dp}	O _{api}	O _{el}	O _{il}
Delta ¹⁵ N	N _{dp}	N _{api}	N _{el}	N _i
Delta ³⁴ S	S _{dp}	S _{api}	S _{el}	S _{il}

The error is reduced to the product of the error of five analytical measurements. Table 1 records the isotopic ratios of five common light elements occurring in the four phases of a given pharmaceutical product. In fact, there may be more or fewer than 20 isotopic values indicated in any specific example. For example, the elements N and S may not occur in a given API or there may be more than one excipient or impurity. In all events, error in identification is minimal.

In the other specific examples including the mathematical arrays listed above, a variety of lists of concentrations, lists of concentration ratios, lists of mathematical products of concentrations or groups of lists or concentrations, or ratios or mathematical products or mathematical products of concentrations and errors may be placed in a matrix such as shown in Table 1 to provide a stable isotopic identification of the invention for any product known with a degree of accuracy that can be predicted as

the probability that the isotopic compositions of two batches or phases from independent production sources being the same is inversely proportional to the product of the dynamic ranges for each isotopic analysis undertaken whether they are bulk or compound specific analyses.

The "dynamic range" is defined herein as the range of values expected for a given type of measurement divided by the 1-sigma standard deviation of that measurement.

For example, for one bulk isotopic measurement performed on a subsample of a number of homogenized drug products from a given batch, the random probability of another manufacturer producing the same bulk isotopic value is estimated at about one in one hundred, or 0.01. In fact, the probability may be less than that depending upon the isotopic ranges of the production phases. A simple calculation is based upon a conservative one-sigma value for the standard deviation in the bulk isotopic measurement of 0.1‰, with a 10‰ range in the isotopic range in the bulk materials.

In the second example, where two or more isotopic compositions are measured, e.g., for example, one bulk analysis and one compound-specific analysis, the random probabilities of another manufacturer producing two similar isotopic values decreases multiplicatively by orders of magnitude, for example, $0.01 \times 0.01 = 0.0001$, or 1 in 10,000.

Recalling that both types of compound-specific analyses typically generate a number of isotopic analyses of whatever is chromatographable in the sample, whether an API or excipient or a drug product or an impurity or another product, the probability of another manufacturer producing a product with a similar isotopic composition is vanishingly small. Thus, such a stable isotopic identification of the invention for any given batch may be virtually unique.

For purposes of comparison, results of BSIA and/or CSIA analyses can be expressed in three ways: simple column, like Table 1, mathematical determinants. The salient point is to uniquely connect stable isotopic identifications of a product to measured isotopic values for later retrieval and comparison to sample or suspect pharmaceutical phases. In accordance with the invention, these may be in the form of serial numbers or a machine readable bar code display on a container for the product or both.

In specific embodiments, the mathematical array of the stable isotopic identification of the invention may be in tabular or matrix form as above described. When using a tabular or matrix or mathematical array, computerized sorting of the tabular rows and columns of isotopic values by increasing or decreasing values of individual elemental isotopic concentrations will reveal whether or not a sample or suspect isotopic value would fit into the table or matrix as an initial test of specificity.

Overlap of the sample isotopic value (e.g., within error limits) indicates a possible match with a pre-existing possible match with the stable isotopic identification of the invention which can be addressed through standard statistical techniques of comparison. Further comparison of the isotopic values of the stable isotopic identification allows a stepwise comparison of the other isotopic values of the stable isotopic identification. The lack of a match with any previously tabulated isotopic value indicates a different and distinguishable product or pharmaceutical phase.

By contrast, a match with a previously identified isotopic value indicates one of three possibilities: (1) a new and unique isotopically defined pharmaceutical phase isotopic value that exists within the statistical limits defined by the ranges of the isotopic value considered, (2) the highly unlikely possibility of a coincidental match (within limits defined by the isotopic range of the product considered), or (3) the unpredictable possibility of a fraudulent synthesized isotopic match. If the isotopic value does not overlap with any previous stable isotopic identification, then it shall be considered a new and different and distinguishable composition. If it does not match a firm's list of stable isotopic identifications for that firm's batches or products, then the observed stable isotopic identification indicates a product not produced by the firm.

In other specific embodiments, combination by multiplication of isotopic values within a stable isotopic identification of the invention (plus

or minus the error of the measurements added in quadrature) will result in a highly specific stable isotopic identification which can be used as a batch's serial number or added to a serial number. For example, the identification may be stated as:

$$(\delta^{13}\text{C} \ \delta^{15}\text{N}) [1 \pm ([1s \ \delta^{13}\text{C}/\text{Range}^{13}\text{C}]^2 + [1s \ \delta^{15}\text{N}/\text{Range}^{15}\text{N}]^2)^{0.5}]$$

As with the tabular method above, the lack of matching with previously recorded values indicates a distinctly different product. But this method requires only that the investigator sort the isotopic data by one column (as opposed to sorting by each isotopic value). This method also hides the individual isotopic values of the sample from all but those who have the original isotopic values of each component.

Finally, factor analysis with specific intervals around data clusters may be used to delineate specific sets of isotopically defined products. Samples that have stable isotopic identifications which fall within the confidence intervals of data clusters shall be considered statistically the same product. Those falling without the confidence intervals shall be considered to be distinctly different products.

THE METHOD OF THE INVENTION

The method of identifying products of the invention utilizing stable isotopic identifications takes the advantage of the natural variability in the product of isotopic compositions based on the product and their raw materials. Two classes of analytes are analyzed for their isotopic

composition include bulk properties (bulk solids, liquids, or gases) and molecular properties (i.e., specific compounds such as APIs, excipients, and impurities).

These are typically analyzed by one or two methods: Bulk properties are either measured in a stepwise combustion-analysis mode (off-line) by either dual inlet mass spectrometry or by irMS (on-line). In the off-line method, bulk analytes are prepared by combustion for analysis in sealed ampoules from which carbon dioxide (CO₂) or other combustion gases are cryogenically distilled. In the on-line method (also known as BSIA), an automated, on-line combustion device (an elemental analyzer) combusts bulk organic matter into gases (for example, CO₂, N₂, H₂O, and CO). Those gases may either be directly or indirectly isotopically analyzed, depending on the necessity for chemical reduction. The combustion and reduction steps are followed by isothermal packed-column chromatography that resolves the gaseous products prior to isotopic analysis. The stable isotopic analysis of specific compounds (CSIA) is typically performed either by irmGCMS or irmLCMS. The selection of the method depends on the chromatographic characteristics of the analyte. In both of the CSIA methods, organic analytes are separated by either gas chromatography or by liquid chromatography. The organic effluent is then combusted in an on-line combustion oven, and the effluent gases (typically, CO₂ or N₂) are isotopically analyzed by

an on-line high-resolution mass spectrometer. Carbon isotopic results are typically expressed in either atom percent of the less abundant isotope or delta values (parts per thousand differences from a standard defined as:

$$\text{delta } ^{13}\text{C (o/oo)} = \frac{(R_{\text{smp}} - 1) \times (1000)}{R_{\text{std}}}$$

where: R_{smp} = the $^{13}\text{C}/^{12}\text{C}$ ratio of the sample material and the R_{std} is the $^{13}\text{C}/^{12}\text{C}$ ratio of an International Atomic Energy Authority standard (known as "VPDB" whose $^{13}\text{C}/^{12}\text{C}$ ratio has been defined as the official zero point of the carbon-isotopic scale). Other stable isotope ratios are similarly expressed.

In another specific embodiment, isotopic analyses of either bulk drug products, APIs, excipients, or impurities can also be performed using NMR spectroscopy.

In another specific embodiment, the use of bulk stable isotopic analysis (BSIA) for drug products, for example, pills, salves, evaporated liquids, etc., via either off-line (ampoulated) or on-line (automated) dual inlet high resolution mass spectrometry or by NMR spectroscopy can also be achieved.

In another specific embodiment, the use of compound-specific analysis (CSIA) for the analysis of Active Pharmaceutical Ingredients (APIs) via either irmGCMS, irmLCMS, or by NMR spectroscopy, depending on the nature of the analyte can also be achieved.

In another specific embodiment, the use of CSIA for the analysis of excipients in drug products via either irmGCMS, irmLCMS or by NMR spectroscopy, depending on the nature of the analyte can also be achieved.

In another specific embodiment, the use of CSIA for the analysis of impurities in drug products via either irmGCMS, irmLCMS or by NMR spectroscopy, depending on the nature of the analyte can also be achieved.

The same analytical procedures can be used to identify other products, such as organic products, such as gunpowder and other explosives, crude oil, petroleum distillates, hazardous waste, paper and/or ink, and tire materials.

Once the product is analyzed with the concentration of isotopes and the concentration of each of the stable isotopes of the total of 224 stable isotopes available, which will form a part of the stable isotopic identification of the invention have been analyzed, the concentrations are arranged in a mathematical array and the array is formulated into a readable form and placed on the product. This mathematical array could be part of the serial number, or it could be separately identified, or it could be a bar code on the product. The mathematical array may be in the form as above described, and in a specific embodiment, may be chosen from the group of mathematical arrays consisting of a list of a plurality of

concentrations, a list of a plurality of isotope ratios, a list of a plurality of products, or a list of a plurality of products of concentrations and errors.

The array could also be a matrix as shown in Table 1 or connected to serial numbers or formulated in tabular form or ratio form or mathematical product form or in quadrature or in factor analysis or any combinations thereof. Each of these forms are described hereinabove with regard to the stable isotopic identification of the invention.

The mathematical array is then formulated into a readable form. This could be a set of numbers in a machine readable language or in a bar code or in such other machine readable form. The machine readable form could be part of a serial number or part of a product identification.

The product information, such as ingredient identifications, formulations, etc., are then assembled. With regard to pharmaceutical products, physician directed information could all be assembled as a part of the product information.

The product information is then indexed to the aforementioned readable form. A machine readable form could be read by a machine by which one would then view the product information on a screen, scroll through the product information and/or print out the sought for information, as required. Both the index and the product information would be maintained such that the product information could be accessed by machine from the machine readable form of the stable isotopic

identification of the invention.

The method of the invention further comprises the steps of measuring the concentrations of the chosen isotopes of an unknown product in the same manner as the product identified by the stable isotopic identification of the invention was analyzed as above described, and comparing the stable isotopic identification of the known product with the isotopic analyses of the unknown product. This can be achieved in a number of ways. Whenever the stable isotopic identification is an array of more than concentration, ratio or product, the comparison may involve any of the statistically step by step comparisons of each ratio, concentration or product to an identification of product and the error desired. Once a product has been identified through its stable isotopic identification number, all of the product information that has been assembled can be found through the index.

While a specific embodiment of the invention has been shown and described herein for purposes of illustration, the protection afforded by any patent which may issue upon this application is not strictly limited to the disclosed embodiment; but rather extends to all structures and arrangements which fall fairly within the scope of the claims which are appended hereto:

WHAT IS CLAIMED IS:

1. An isotopic identification comprising a mathematical array of concentrations of isotopes, ratio of isotope concentrations found in a product, said mathematical array presented in a readable form, said readable form being comparable to analytical results of unknown products, whereby unknown products can be identified and known products can be differentiated from fraudulent products, said readable form being indexed to stored product information, whereby products can be securely traced through manufacturing and the marketplace and distinguished from other products.

2. The isotopic identification of Claim 1 wherein said concentrations of isotopes are chosen from the group of isotopic concentrations consisting of concentrations of isotopes, concentrations of isotopes and their errors, ratios of isotope concentrations and ratios of isotope concentrations and their errors.

3. The isotopic identification of Claim 1 wherein said readable form is chosen from the group of readable forms consisting of serial numbers, bar codes, and other numerical indicia.

4. The isotopic identification of Claim 1 wherein said mathematical array is chosen from the group of mathematical arrays consisting of a list of a plurality of concentrations, a list of a plurality of isotopic ratios, a list of a plurality of mathematical products of isotopic

concentrations, a list of a plurality of mathematical products of isotopic ratios, groups of any such lists, groups of any such mathematical products, groups of any such ratios, groups of any such concentrations, mathematical products of any such concentrations plus or minus their error added, mathematical products of any such ratios plus or minus their error added, any such concentrations, ratios, lists, groups, and mathematical products in quadrature, isotopic ratios of any such mathematical products, ratios of said concentrations plus or minus their errors added, any of such concentrations plus or minus their errors added, factor analysis of any such concentrations, ratios, lists, groups, mathematical products and any determinants and combinations thereof.

5. The isotopic identification of Claim 1 wherein the isotopes available are any of the 224 existing stable isotopes of known elements.

6. The isotopic identification of Claim 1 wherein said isotopes are of any of the 13 stable isotopes of the elements carbon, hydrogen, oxygen, nitrogen and sulfur.

7. The isotopic identification of Claim 1 wherein the error of identification is chosen by the mathematical array chosen, the number of concentrations of isotopes utilized in said array, and the portion of said array compared with the isotopic analysis of an unknown product.

8. The isotopic identification of Claim 1 wherein the product from which the concentrations of isotopes are analyzed and formed into a

mathematical array includes active pharmaceutical ingredients, excipients of drug products, impurities in drug products, raw materials and drug products, combustible fuels, additives to combustible fuels, environmental and natural occurring products, explosives and ammunition, gun powder, crude oil, petroleum distillates, hazardous waste, paper, ink, tire materials, paints and other coatings.

9. The isotopic identification of Claim 1 wherein said concentrations of isotopes are chosen from the group of concentrations of isotopes consisting of bulk phase analysis and specific compound analysis.

10. The isotopic identification of Claim 9 wherein said bulk phase analysis includes dual inlet isotope ratio mass spectrometry (irMS) and on-line combustion coupled with high resolution isotope ratio monitoring/mass spectrometry (irmMS).

11. The isotopic identification of Claim 9 wherein specific compound analysis includes gas chromatography coupled with irMS (irmGCMS) and liquid chromatography coupled with irMS (irmLCMS).

12. The isotopic identification of Claim 1 wherein said analyses includes nuclear magnetic resonance.

13. The isotopic identification of Claim 1 wherein said readable form is a machine readable form and said product information is stored in memory on a machine together with the index, said machine readable

form, index and product information being interlinked, said machine readable form once identified through the index presents stored product information in displayed form.

14. The isotopic identification of Claim 13 wherein said product information may be scrolled through.

15. The isotopic identification of Claim 13 wherein said product information may be printed.

16. The isotopic identification of Claim 13 wherein said product information may be accessed through said index from said machine readable form of said mathematical array.

17. The method of identifying products comprising the steps of analyzing a product for the concentration of isotopes, arranging the concentrations of said isotopes in a mathematical array, formulating said mathematical array in a readable form, assembling product information, indexing said product information and said readable form to an index, maintaining said index and said product information.

18. The method of Claim 17 further comprising the step of measuring the concentration of said isotopes in a comparable substance and comparing the concentrations of isotopes with the mathematical array in readable form to identify the product.

19. The method of Claim 17 further comprising the step of indexing said readable form to said product information.

20. The method of Claim 17 further comprising maintaining said index and said product information.

21. The method of Claim 17 wherein said readable form is a machine readable form of said mathematical array, said product information is made on a machine, said machine readable form being indexed to said product information.

22. The method of Claim 21 wherein said product information may be displayed by identifying said machine readable form and indexing the same to said product information.

23. The method of Claim 21 wherein said product information may be scrolled and/or downloaded or printed as desired.

24. The method of Claim 21 further comprising measuring the concentration of said isotopes in a comparable substance and comparing the isotopic concentrations with said mathematical array of said product.

25. The method of Claim 24 wherein said mathematical array includes ratios, concentrations, and products and said comparing step comprises comparing each of said ratios, concentrations or products step by step to identify said unknown product within the error desired.

26. The method of Claim 24 wherein said concentrations of isotopes are chosen from the group of isotopic concentrations consisting of concentrations of isotopes, concentrations of isotopes and their errors, and ratios of isotope concentrations, ratios of isotope concentrations and

their errors.

27. The method of Claim 24 wherein said readable form is chosen from the group of readable forms consisting of serial numbers, bar codes, and other numerical indicia.

28. The method of Claim 24 wherein said mathematical array is chosen from the group of mathematical arrays consisting of a list of a plurality of concentrations, a list of a plurality of isotopic ratios, a list of a plurality of mathematical products of isotopic concentrations, a list of a plurality of mathematical products of isotopic ratios, groups of any such lists, groups of any such mathematical products, groups of any such ratios, groups of any such concentrations, mathematical products of any such concentrations plus or minus their error added, mathematical products of any such ratios plus or minus their error added, any such concentrations, ratios, lists, groups, and mathematical products in quadrature, isotopic ratios of any such mathematical products, ratios of said concentrations plus or minus their errors added, any of such concentrations plus or minus their errors added, factor analysis of any such concentrations, ratios, lists, groups, mathematical products and any determinants and combinations thereof.

29. The method of Claim 24 wherein the isotopes available are any of the 224 existing stable isotopes of known elements.

30. The method of Claim 24 wherein said isotopes are of any of

the 13 stable isotopes of the elements carbon, hydrogen, oxygen, nitrogen and sulfur.

31. The method of Claim 24 wherein the error of identification is chosen by the mathematical array chosen, the number of concentrations of isotopes utilized in said array, and the portion of said array compared with the isotopic analysis of an unknown product.

32. The method of Claim 24 wherein the product from which the concentrations of isotopes are analyzed and formed into a mathematical array includes active pharmaceutical ingredients, excipients of drug products, impurities in drug products, raw materials and drug products, combustible fuels, additives to combustible fuels, environmental and natural occurring products, explosives and ammunition, gun powder, crude oil, petroleum distillates, hazardous waste, paper, ink, tire materials, paints and other coatings and other synthetic materials.

33. The method of Claim 24 wherein said concentrations of isotopes are chosen from the group of concentrations of isotopes consisting of bulk phase analysis and specific compound analysis.

34. The method of Claim 33 wherein said bulk phase analysis includes dual inlet isotope ratio mass spectrometry (irMS) and on-line combustion coupled with high resolution isotope ratio monitoring/mass spectrometry (irmMS).

35. The method of Claim 33 wherein specific compound

analysis includes gas chromatography coupled with irMS (irmGCMS) and liquid chromatography coupled with irMS (irmLCMS).

36. The method of Claim 24 wherein said analyses includes nuclear magnetic resonance.

37. The method of Claim 24 wherein said readable form is a machine readable form and said product information is stored in memory on a machine together with the index, said machine readable form, index and product information being interlinked, said machine readable form once identified through the index presents stored product information in displayed form.

38. The method of Claim 37 wherein said product information may be scrolled through.

39. The method of Claim 37 wherein said product information may be printed.

40. The method of Claim 37 wherein said product information may be accessed through said index from said machine readable form of said mathematical array.

PATENT

John P. Jasper

ABSTRACT OF THE DISCLOSURE

A stable isotopic identification comprising a mathematical array of concentrations of isotopes found in a product, said mathematical array being presented in a machine readable form and comparable to analytical results whereby the product can be distinguished from other similar products, said machine readable form also being indexed through stored product information. The stored product information may be displayed when desired. By the stable isotopic identification of the invention, a product may be securely traced through manufacturing of a product, marketing of a product and the use of a product.

A method of identifying products is also provided utilizing the stable isotopic identification including the steps of analyzing a product for the concentration of isotopes, arranging the concentrations of the isotopes in a mathematical array, formulating the mathematical in a machine readable form, assembling product information, and indexing the product information to the machine readable form of the mathematical array, maintaining both the indexing and the product information, and when desired measuring the isotopic concentration of a comparable substance, comparing mathematical arrays, and accessing stored product information through the indexing of the same to product information, whereby a

0949380-070999

product may be traced through manufacturing, the marketplace and use,
identified, and indexed to product information.

66070 08E4E60

DECLARATION, POWER OF ATTORNEY AND PETITION

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor of the invention entitled:

A STABLE ISOTOPIC IDENTIFICATION AND METHOD FOR IDENTIFYING
PRODUCTS BY ISOTOPIC CONCENTRATION

described and claimed in the attached specification, that I have reviewed and understand the contents of the above identified specification, including the claims, that I do not know and do not believe the same was ever known or used in the United States of America before my invention thereof, or patented or described in any printed publication in any country before my invention thereof, or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months prior to this application, that I acknowledge my duty to disclose information of which I am aware which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, Section 1.56(a), and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by me or my legal representatives or assigns, except as follows:

NONE

And I hereby appoint David A. Lundy, Registration No. 22,162 of the firm of LUNDY AND ASSOCIATES, 825 Anthony Wayne Building, 203 E. Berry Street, Fort Wayne, Indiana 46802, my attorney with full power of substitution and revocation, to prosecute this application and to transact all business in the United States Patent and Trademark Office connected therewith. All communications are to be addressed to 825 Anthony Wayne Building, 203 E. Berry Street, Fort Wayne, Indiana 46802, USA, telephone number (219) 422-1534.

WHEREFORE I PRAY that Letters Patent be granted to me for the invention or discovery described and claimed in the foregoing specification and claims, and I hereby subscribe my name to the foregoing specification and claims, Declaration, Power of Attorney and this Petition.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

John P. Jasper
Full name of sole inventor

John P. Jasper
Inventor's signature

July 7, 1999
Date

Residence: 8 Old Oak Lane, Niantic, Connecticut 06357

Citizenship: USA

Post Office Address: Same